

Mark Scheme (Results)

November 2012

GCSE Mathematics (Linear) 1MA0 Foundation (Non-Calculator) Paper 1F

#### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.edexcel.com</a> or <a href="https://www.edexcel.com">www.btec.co.uk</a> for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson. Their contact details can be found on this link: <a href="https://www.edexcel.com/teachingservices">www.edexcel.com/teachingservices</a>.

You can also use our online Ask the Expert service at <a href="https://www.edexcel.com/ask">www.edexcel.com/ask</a>. You will need an Edexcel username and password to access this service.

#### Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2012
Publications Code UG033843
All the material in this publication is copyright
© Pearson Education Ltd 2012

#### NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- **5** Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
  - i) ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear Comprehension and meaning is clear by using correct notation and labeling conventions.
  - ii) select and use a form and style of writing appropriate to purpose and to complex subject matter

    Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
  - iii) organise information clearly and coherently, using specialist vocabulary when appropriate.

    The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

#### 7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

# 8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

# 9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

## 10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

### 11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

# 12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

# 13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

### Guidance on the use of codes within this mark scheme

M1 – method mark

A1 – accuracy mark

B1 – Working mark

C1 – communication mark

QWC - quality of written communication

oe – or equivalent

cao - correct answer only

ft – follow through

sc - special case

dep - dependent (on a previous mark or conclusion)

indep – independent

isw – ignore subsequent working

| 1MA | .0_1F  |         |                |      |   |
|-----|--------|---------|----------------|------|---|
| Qu  | estion | Working | Answer         | Mark | Notes   |
| 1   | (a)    |         | E              | 1    | B1 cao  |
|     | (b)    |         | Cylinder       | 1    | B1 for cylinder or circular prism. Use professional judgement re spelling of cylinder                                   |
|     | (c)    |         | 6              | 1    | B1 cao  |
|     | (d)    |         | 8              | 1    | B1 cao  |
| 2   | (a)    |         | 507            | 1    | B1 cao  |
|     | (b)    |         | 40             | 1    | B1 for 40 or forty or 4 tens (do not accept an answer of "tens")  |
|     | (c)    |         | 6000           | 1    | B1 for 6000 or six (6) thousand   |
| 3   | (a)    |         | 43             | 1    | B1 cao  |
|     | (b)    | 3 + 10  | 13             | 1    | B1 cao  |
|     | (c)    |         | 7.1 - 7.9 inc. | 1    | B1 for answer in the range 7.1 – 7.9 inc  |
| 4   | (a)    |         | 36 – 40 inc.   | 1    | B1 for any answer in the range 36 – 40 inc.   |
|     | (b)    |         | line           | 1    | B1 for line of length 4.8 – 5.2cm inc.  |
| 5   | (a)    |         | 888900         | 2    | B1 for 6 tins drawn for Thursday B1 for 3 + ½ tins drawn for Friday. Use professional judgement re sketch of semicircle |
|     | (b)    |         | 15             | 2    | M1 for (4.5 – 3)×10 or 1.5×10 or 4.5×10 – 3×10 or 45 – 30 or 10 + 5 A1 for 15   |

| 1MA | 1MA0_1F |         |                |      |  |  |  |  |
|-----|---------|---------|----------------|------|--|--|--|--|
| Qu  | estion  | Working | Answer         | Mark | Notes  |  |  |  |
| 6   | (a)     |         | Tuesday        | 1    | B1 for Tuesday (accept 8)  |  |  |  |
|     | (b)     |         | - 6            | 1    | B1 cao   |  |  |  |
|     | (c)     |         | Wednesday or 8 | 2    | B2 for Wednesday or 8 OR M1 for an attempt to find the difference in at least 3 of: 5 and 4, 8 and 6, 6 and -2, -1 and -4, -3 and -6; ie the answers need not be correct.  A1 for Wednesday or 8 |  |  |  |
| 7   | (a)     |         | 3<br>5         | 2    | B2 cao (B1 for $\frac{9}{15}$ oe) [SC: B1 for an answer of $\frac{2}{5}$ ]   |  |  |  |
|     | (b)     |         | 0.9            | 1    | B1 for 0.9 or 0.90 or .9   |  |  |  |
|     | (c)     |         | No + reason    | 1    | B1 for no and 0.75 or 80% or $\frac{75}{100}$ and $\frac{80}{100}$   |  |  |  |
| 8   | (a)     |         | or 📗           | 1    | B1 for or  |  |  |  |
|     | (b)     |         | 1              | 1    | B1 cao   |  |  |  |

| 1MA | 1MA0_1F |   |               |      |  |  |  |  |
|-----|---------|---|---------------|------|--|--|--|--|
| Qu  | estion  | Working   | Answer        | Mark | Notes  |  |  |  |
| 9   | (a)     |   | No + reason   | 1    | B1 for no and the (prob.) of red is (bigger than the (prob.) of blue. OR (prob.) of blue is nearer 0 OR (prob.) of red is closer to 1 OR (prob.) of red is 50% and the (prob.) of blue is about 20% oe           |  |  |  |
|     | (b)(i)  |   | $\frac{4}{7}$ | 2    | B1 for $\frac{4}{7}$ oe  |  |  |  |
|     | (ii)    |   | 0             |      | B1 for 0 or $\frac{0}{7}$ or 0% (accept 0 out of 7, but not 0:7 or 0 to 7)   |  |  |  |
| 10  |         | $F + C + S$ $30 + 7 + 8 = 45$ $3 \times 20 - 45 = 15$ | 15            | 4    | M2 for 30 + 7 + 8 (= 45)<br>(M1 for 12 × 2 + 7 × 3 + 8 (= 53) or 12 × 2 + 7 × 2 (= 38))<br>M1 (dep on at least M1) for "20 × 3" – "45" or "20 × 3" – "53"<br>A1 cao<br>[SC: B1 for an answer of 22 if M0 scored] |  |  |  |
| 11  | (a)     |   | (1, 2)        | 1    | B1 cao (accept coordinates just shown on the grid)   |  |  |  |
|     | (b)     |   | (0, -3)       | 1    | B1 cao (accept coordinates just shown on the grid)   |  |  |  |
|     | (c)     |   | (3, -2)       | 1    | B1 for (3, -2) or (-3, -4) or (-1, 6) [SC: B1 for coordinates reversed, (-2, 3) or (-4, -3) or (6, -1) if coordinates reversed in parts (a) <b>and</b> (b)]  |  |  |  |

| 1MA | .0_1F          |  |  |      |  |
|-----|----------------|--|--|------|--|
| Qu  | estion         | Working  | Answer   | Mark | Notes  |
| 12  | (a)(i)<br>(ii) |  | 19<br>Add 4  | 2    | B1 cao<br>B1 for add 4 (+4) oe or $4n - 1$ (or $\times 4 - 1$ )  |
|     | (b)            | $     \begin{array}{r}       15 - 10 = 5 \\       5 \times 4 = 20     \end{array} $                                  | 20   | 2    | M1 for $(15-10)\times 4$ or $4+4+4+4+4$ or 59, 39<br>or $(4\times 15-1)-(4\times 10-1)$ or '59' - '39' from a list<br>A1 cao   |
| 13  | (a)            |  | 3 <i>f</i>   | 1    | B1 for $3f$ or $f$ 3 or $f$ 3 or $f$ 4 or $f$ 5  |
|     | (b)            |  | 6 <i>m</i>   | 1    | B1 for 6 <i>m</i> or <i>m</i> 6  |
|     | (c)            |  | 4a + 5h  | 2    | B2 for $4a + 5h$ or $5h + 4a$<br>(B1 for $4a$ or $5h$ or $4a + 5h = 9ah$ )   |
| 14  | (a)            |  | 08 50  | 1    | B1 for 08 50 or 8 50 (am) or 10 to 9   |
|     | (b)            | 13 43 – 13 29  | 14   | 1    | B1 cao   |
|     | (c)*           | e.g. HL to SC: 11 02 – 11 41 Visit (at least 3 hours) SC to HL: 15 16 – 15 49 [Note: there are 9 possible solutions] | A fully correct plan<br>showing departure<br>times and arrival times<br>of the two bus<br>journeys | 4    | B1 for a departure time of 08 02 or 09 04 or 10 12 or 11 02 from HL M1 (indep) for a correct arrival time at SC and a correct departure time from SC (or Cartbridge St) which allows for a stay of at least 3 hours in SC (the differencing does not have to be seen) OR for correctly adding 3 hours to a their arrival time at SC  B1 for a departure time from SC of 13 20 (13 11 from CS) or 14 24 (14 14 from CS) or 15 16 (15 07 from CS) C1 (dep on M1) for a complete correct plan which includes the departure and arrival times of the two bus journeys [Note: bus departure times may be identified by their starting times. Eg the 15 07 from Cartbridge Street would be acceptable for the identification of the bus which arrives a HL at 15 49] |

| 1MA                     | 1MA0_1F |  |              |   |   |  |  |  |
|-------------------------|---------|--|--------------|---|---|--|--|--|
| Question Working Answer |         | Mark   | Notes        |   |   |  |  |  |
| 15                      | (a)     |  | 32           | 1 | B1 cao  |  |  |  |
|                         | (b)     | e.g.<br>\$20 = £12.50<br>\$100 = 5×£12.50 =<br>£62.50<br>£62.50 - 60 = £2.50 | £2.50 OR \$4 | 3 | M1 for a correct method to convert \$100 to £, e.g. 5× '12.50' (= 62.50) ('12.50' is their reading from the graph at \$20) M1 (dep) for '62.50' - 60 A1 for £2.5(0) (units must be stated)  OR M1 for correct method to convert £60 to \$, e.g. 3×32 (=96) or ft their answer to part (a) M1 (dep) for 100 - '96' A1 for \$4 (units must be stated) |  |  |  |
| 16                      | (a)     | 3×3×3×3  | 81           | 1 | B1 cao  |  |  |  |
|                         | (b)     |  | 4            | 1 | B1 cao  |  |  |  |
| 17                      | (a)     |  | 7            | 1 | B1 cao  |  |  |  |
|                         | (b)     |  | 12           | 1 | B1 cao  |  |  |  |
|                         | (c)     | 5w = 10 + 6<br>$w = 16 \div 5$<br>or $w - \frac{6}{5} = \frac{10}{5}$ oe     | 16/5 oe      | 2 | M1 for $5w-6+6=10+6$ oe or $w-\frac{6}{5}=\frac{10}{5}$ oe<br>A1 for $\frac{16}{5}$ , $3\frac{1}{5}$ , 3.2, oe  |  |  |  |

| 1MA | 1MA0_1F |   |                |      |  |  |  |  |
|-----|---------|---|----------------|------|--|--|--|--|
| Qu  | estion  | Working   | Answer         | Mark | Notes  |  |  |  |
| 18  | (a)     |   | 21             | 1    | B1 cao   |  |  |  |
|     | (b)     |   | 17             | 1    | B1 cao   |  |  |  |
|     | (c)     | 55 – 15   | 40             | 2    | M1 for 55 – 15 (accept 15 – 55 or 15 to 55 or 55 to 15 or 15, 55 but not 15 + 55) A1 cao   |  |  |  |
| 19* |         | 360 – 200 – 90 (=70)<br>(180 – '70') ÷2<br>angles at a point add to 360°,<br>angles in a triangle add to<br>180°, base angles of an<br>isosceles triangle are equal | y = 55 reasons | 4    | M1 for 360 – 200 – 90 oe M1 for (180 – '70') ÷ 2 Reasons: angles at a point add up to 360° angles in a triangle add up to 180° base angles of an isosceles triangle are equal C2 for y = 55° and all correct reasons Note: An answer of 55° alone, is not enough; y = 55° must be explicitly stated or clearly shown on the diagram (C1 for one correct reason) Note: the award of any C mark is dependant upon the award of at least M1 |  |  |  |

| 1MA0_1F  | 1MA0_1F  |        |      |  |  |  |  |  |  |
|----------|--|--------|------|--|--|--|--|--|--|
| Question | Working  | Answer | Mark | Notes  |  |  |  |  |  |
| 20       | $\frac{1}{2} \times 60 = 30, 30 \times 5 = 150$ $\frac{1}{3} \times 60 = 20, 20 \times 4 = £80$ $3 \times 60 = 180$ $180 + 75 - 150 - 80 = £25$ $10 \text{ bags (i.e. } 60 - 30 - 20)$ sold for 25 $25 \div 10 = 2.50$ OR  | 2.50   | 4    | M1 for $\frac{1}{2} \times 60 \times 5$ (=150) or $\frac{1}{3} \times 60 \times 4$ (=80)  M1 (dep on 1st M1) for $3 \times 60 + 75 - `150` - `80`$ oe (=25)  M1 (dep on previous M1) for $`25` \div (60 - `30` - `20`)$ A1 for 2.50 (accept 2.5)                 |  |  |  |  |  |
|          | $\frac{1}{2} \times 60 = 30, 30 \times £2 = £60 \text{ profit}$ $\frac{1}{3} \times 60 = 20, 20 \times £1 = £20 \text{ profit}$ $60 + 20 = £80$ $80 - 75 = 5 \text{ loss on}$ $10 \text{ bags (i.e. } 60 - 30 - 20)$ $10 \times £3 = £30$ $30 - 5 = £25$ $£25 \div 10 = £2.50$ |        |      | M1 for $\frac{1}{2} \times 60 \times 2$ (=60) or $\frac{1}{3} \times 60 \times 1$ (=20)  M1 (dep on 1st M1) for $(60 - `30` - `20`) \times 3 - (`60` + `20` - 75)$ oe (=25)  M1 (dep on previous M1) for $`25` \div (60 - `30` - `20`)$ A1 for 2.50 (accept 2.5) |  |  |  |  |  |

| 1MA0_1F  | 1MA0_1F  |               |      |   |  |  |  |  |  |
|----------|--|---------------|------|---|--|--|--|--|--|
| Question | Working  | Answer        | Mark | Notes   |  |  |  |  |  |
| 21       | e.g. $41 - 21 (=20)$<br>49 - 10 - 20 (=19)<br>16 + 19 = 35<br>OR $(100 - 49) - (16 + 21) (=14)$<br>14 + 10 (=24)<br>100 - (41 + 24) = 35<br>$\begin{array}{ c c c c c c c c c c c c c c c c c c c$ | 35            | 4    | M1 for 41 – 21 (= 20) or M1 for 49 – 10 – '20' (= 19) M1 for 16 + '19' A1 cao  OR M1 for 100 – 49 (=51) M1 for '51' – 21 – 16 (= 14) and '14' +10 (= 24) M1 for 100 – (41 + '24') A1 cao  NB working may appear in table or diagram |  |  |  |  |  |
| 22       |  | 4×6 rectangle | 2    | B2 for a single 4×6 rectangle drawn anywhere on the grid (B1 for a single 4×n rectangle or a single m×6 rectangle drawn anywhere on the grid)  Note: All nets and 3-D sketches get NO marks   |  |  |  |  |  |

| 1MA | 1MA0_1F |  |  |      |  |  |  |
|-----|---------|--|--|------|--|--|--|
| Qu  | estion  | Working  | Answer   | Mark | Notes  |  |  |
| 23  |         | 180×1.5<br>40×1.5<br>110×1.5<br>30×1.5   | Flour = 270<br>Ginger = 60<br>Butter = 165<br>Sugar = 45 | 3    | M1 for ×24÷16 oe or 24/16 or 1.5 seen or 180 + 90 (=270) or 40 + 20 (=60) or 110 + 55 (=165) or 30 + 15 (=45) or sight of any one of the correct answers  A2 for all 4 correct answers  (A1 for 2 or 3 correct answers)  |  |  |
| 24  | (a)     |  | Positive (correlation)                                   | 1    | B1 for positive (correlation) [do not accept a relationship]   |  |  |
|     | (b)     |  | 83 to 87 inc.  | 2    | B2 for an answer in the range 83 to 87 inc.  OR  M1 for a single straight line segment with positive gradient that could be used as a line of best fit or for an indication on the diagram from 148 on the height axis  A1 ft from their line of best fit  |  |  |
| 25  |         | $\frac{9}{2} \times (12+18) = 135$ $135 \div 20 = 6.75 \text{ (=7 bags)}$ $7 \times 4.99$ OR $18 \times 9 - \frac{1}{2} (6 \times 9)$ $= 135$ $135 \div 20 = 6.75 \text{ (=7 bags)}$ $7 \times 4.99$ | 34.93  | 4    | M1 for $\frac{9}{2} \times (12+18)$ or $18 \times 9 - \frac{1}{2}(6 \times 9)$<br>or $9 \times 12 + \frac{1}{2} \times (18-12) \times 9$ or 135 seen<br>M1 (dep) for '135'÷ 20 or 6 or 7 seen<br>M1 (dep on previous M1) for '6' × 4.99 or '7' × 4.99<br>A1 cao<br>[SC: M1 for $(12 \times 9 + 6 \times 9) \div 20$ (= $162 \div 20$ ) or 8 or 9 seen<br>M1 (dep) for '8' × 4.99 or '9' × 4.99<br>OR M1 for $(18 \times 9 - 6 \times 9) \div 20$ (= $108 \div 20$ ) or 5 or 6 seen<br>M1 (dep) for '5' × 4.99 or '6' × 4.99] |  |  |

| 1MA0_1F  | 1MA0_1F  |   |      |  |  |  |  |
|----------|--|---|------|--|--|--|--|
| Question | Working  | Answer  | Mark | Notes  |  |  |  |
| 26       |  | Eg. How many hours do you read each day?  0 to 1 h over 1 h to 2 h over 2 h | 2    | B1 for an appropriate question with reference to a time frame, with a unit of time, or a question with a time frame, with a unit of time, implied by responses B1 for at least 3 non-overlapping boxes (ignore if not exhaustive) or for at least 3 exhaustive boxes (ignore if any overlapping) [Note: labels on response boxes must not be inequalities] Do not accept frequency tables or data collection sheets for award of the second B mark |  |  |  |
| 27       | Area of cross section $4 \times 7 + 5 \times 2$ or $9 \times 2 + 5 \times 4$ OR $9 \times 7 - 5 \times 5 (= 38)$ | 380   | 3    | M1 for 4×7 + 5×2 (=38) or 9×2 + 5×4 (=38) or 7×9 - 5×5 (=38) or 4×7×10 or 5×2×10 (=100) or 9×2×10 (=180) or 5×4×10 (=200) or 9×7×10 (=630) or 5×5×10 (=250) M1 (dep) for '38'×10 or 380 or 4×7×10 + 5×2×10 or 9×2×10 + 5×4×10 or (7×9 - 5×5) ×10 A1 cao  |  |  |  |
| 28       |  | Region shaded   | 3    | B1 for circle arc of radius 3cm (± 2mm) centre Burford B1 for circle arc of radius 5 cm (± 2mm) centre Hightown B1 for overlapping regions of circle arcs shaded   |  |  |  |

| 1MA0_1F  | 1MA0_1F  |             |      |   |  |  |  |  |  |
|----------|--|-------------|------|---|--|--|--|--|--|
| Question | Working  | Answer      | Mark | Notes   |  |  |  |  |  |
| 29*      | 180÷9×1:180÷9×3:180÷9×5 =20:60:100  Not enough cement (but enough sand and enough gravel)  OR  1×15:3×15:5×15 =15:45:75 15+45+75=135 (<180)  Not enough cement (to make 180kg of concrete) | No + reason | 4    | M1 for 180 ÷ (1+3+5) (=20) or 3 multiples of 1: 3: 5 M1 for 1×'20' or 3×'20' or 5×'20' or 20 seen or 60 seen or 100 seen A1 for (Cement=) 20, (Sand=) 60, (Gravel=) 100 C1 ft (provided both Ms awarded) for not enough cement oe  OR  M1 for (1×15 and) 3×15 and 5×15 or 9×15 or sight of the numbers 15, 45, 75 together. M1 for '15' + '45' + '75' A1 for 135 (<180) C1 ft (provided both Ms awarded) for not enough cement oe |  |  |  |  |  |

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publication.orders@edexcel.com</u> Order Code UG033843 November 2012

For more information on Edexcel qualifications, please visit our website  $\underline{www.edexcel.com}$ 

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





